
Classification and the nomenclature of organic compounds.

Organic chemistry is the chemistry of compounds of carbon.

Bioorganic chemistry is the part of organic chemistry that studies the carbon compounds, which are present in the living organism – the so-called **biomolecules**. The major biomolecules are carbohydrates, proteins, lipids, and nucleic acids.

Bioorganic chemistry also studies organic chemicals that are applied in medicine as pharmaceutical drugs.

According to the structure of chain of carbon atoms the organic compounds are divided into:



Acyclic compounds (or aliphatic) are organic chemicals having open chains of carbon atoms, branched or unbranched. For example:

$$CH_3 - CH_2 - CH_3 \text{ unbranched}$$
 propane
$$CH_3 - CH - CH_3$$

$$CH_3 - CH - CH_3 \text{ branched}$$

$$CH_2 = CH - CH_2 - CH_3$$

$$2 - \text{methylpropane}$$

$$CH_2 = CH - CH - CH_3$$

$$CH_3 - CH_3$$

$$CH_3 - CH_3$$

$$CH_3$$

$$3 - \text{methylbytene} - 1$$

Hydrocarbons are organic chemicals that contains only carbon and hydrogen.

Saturated hydrocarbons are compounds that contains only single bonds between carbon atoms.

Alkanes contain only single covalent bonds between carbon atoms and have the general formula C_nH_{2n+2}

Unsaturated hydrocarbons are hydrocarbons that contains one or more double or triple bonds.

Alkenes are hydrocarbons that contains a double bond. The general formula is C_nH_{2n} .

Alkynes are hydrocarbons that contains a triple bond. The general formula is C_nH_{2n-2} .

Cyclic compounds are compounds that contains a ring (cycle).

Carbocyclic compounds are compounds that include chains of carbon atoms closed in a ring.

Alicyclic (aliphatic cycle) are nonaromatic cycle organic compounds.

Aromatic hydrocarbons have carbon atoms arranged in hexagonal rings, based on benzene C_6H_6 .

Heterocyclic compounds are compounds that have certain heteroatoms (predominantly N, O or S) included in the structure of their cycles.

Functional groups. Classes of organic compounds.

A **functional group** is an atom or group of atoms attached to a hydrocarbon residue, R. The functional group often confers specific properties to an organic molecule.

According to the presence of the functional groups in the molecule the organic compounds are divided into classes. (Table 1-1)

Table 1-1. Functional group and classes of organic compounds

NAME OF CLASS	GENERAL FORMULA	FUNCTIONAL GROUP		IUPAC	
		FORMULA	NAME	PREFIX	SUFFIX
Carboxylic acids		Carboxyl		-oic acid	
		-СООН	, and the second	Carboxy-	
Sulfonic acids	R-SO₃H	-SO₃H	Sulfonate	Sulfo-	- sulfo acid
Esters	R-COO-R	-(C)OOR*	Carbalkoxy		-oate
Amides	R-CONH ₂	-CONH ₂	Amide	Carbamyl-	-amide
Nitriles	R-C≡N	-(C)≡N*	Nitrile		-nitrile
		-CN		Cyano-	
Aldehydes	$R - C \setminus_H^O$	-(C) / O		Formyl-	-al
Ketones	R-CO-R	C=O	Carbonyl	Oxo or keto-	-one
Alcohols	R-OH	-ОН	Hydroxyl	Hydroxy-	-ol
Thioalcohols	R-SH	-SH	Thiol	Mercapto-	-thiol
Amines	R - NH_2	-NH ₂	Amino	Amino-	-amine
Nitro compound	R-NO ₂	-NO ₂	Nitro	Nitro-	
Ethers	R-O-R	-OR	Alkoxy	Alkoxy-	
Halogen derivatives	R-Hal	-Hal(-F,-Cl, -Br, -I)	Halogens	Fluoro-, chloro-, bromo-, iodo-	

Nomenclature of organic compounds.

The present-day system used to name the organic compounds is recommended by the International Union of Pure and Applied Chemistry (IUPAC). This system is accepted by the chemists throughout the world.

Nomenclature according to IUPAC system involves the use of following terms.

- (I) Word Root
- (II) Primary suffix
- (III) Secondary suffix
- (IV) Prefix
- (I) **Word root.** The word root represents the number of carbon atoms in the parent chain.

Table 1.2. Some straight chains and their names

CH ₄ metane	C ₆ H ₁₄ hexane
C ₂ H ₆ ethane	C ₇ H ₁₆ heptane
C ₃ H ₈ propane	C_8H_{18} octane
C ₄ H ₁₀ butane	C ₉ H ₂₀ nonane
C ₅ H ₁₂ pentane	C ₁₀ H ₂₂ decane

The root word of one carbon chain is obtained by leaving – ane from methane, i.e., meth

c₁ Methane Meth

c₂ Ethane Eth

(II) **Primary Suffix** is used to indicate saturation or unsaturation in the carbon chain. Primary suffix is added to the word root.

Saturated carbon Chain C - C: ane ethane (alkane) Unsaturated carbon Chain C = C: ene ethene (alkene)

C = C - C = C: adiene butadiene (alkadiene)

C = C: yne ethyne (alkyne)

(III) **Secondary suffix** is used to indicate the functional group in the organic compound.

Secondary suffix for various functional groups are given in Table 1.

- (IV) **Prefixes are** used for different categories of groups present in molecule.
 - (a) Alkyl group (C_nH_{2n-1} or R-):

Alkane	Alkyl group	Abbreviation	Prefix
CH_4	CH ₃ –	Me-	Methyl
C_2H_6	$CH_3 - CH_2 -$	Et-	Ethyl
C_3H_8	$CH_3 - CH_2 - CH_2 -$	n-Pr-	n-Propyl
C_3H_8	CH ₃ - CH -	Iso-Pr-	Isopropyl or
	I CH ₃		1-methyl ethyl-

In polyfunctional compounds (compounds with more than one functional groups), one of the functional groups is treated as **principal** functional group and is indicated by the secondary suffix whereas other functional groups are treated as substituents and are indicated by the prefixes. The prefixes and suffixes are given in Table 1.

Arrangement of Prefixes, word root and suffixes.

The prefixes, word root and suffixes are arranged as follows while writing the name.

Prefix(es) + Word root + p. suffix + sec. suffix

The above arrangement is illustrated by the following examples.

$$\begin{array}{c} CH_3 \text{-} CH \text{-} CH_2 \text{-} CH_2 \text{-} OH \\ CH_3 \\ CH_3 \\ \end{array} \qquad \begin{array}{c} \text{3-Methyl...but...an..ol-1} \\ \text{Prefix} \\ \text{Word} \\ \text{P. Sec.} \\ \end{array}$$

$$\begin{array}{c} \text{CH}_3 \text{-} C = \text{CH} \text{-} \text{CH}_2 \text{-} \text{OH} \\ \text{Br} \\ \end{array} \qquad \begin{array}{c} \text{3-Bromo...but...en...ol} \\ \end{array}$$